Search Results -

Terms	Documents
L14 and L7	18

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins


Search:

15	-	
		discontraction of the second o

Refine Search







Search History

DATE: Thursday, September 23, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB =	USPT; PLUR=YES; OP=ADJ		
<u>L15</u>	L14 and 17	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	L14
DB =	TDBD; PLUR=YES; OP=ADJ		
<u>L13</u>	program\$ and (object\$ near5 propert\$) and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L13</u>
DB =	EDWPI; PLUR=YES; OP=ADJ		
<u>L12</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L12</u>
DB =	JPAB; PLUR=YES; OP=ADJ		
<u>L11</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L11</u>

DB=	=EPAB; PLUR=YES; OP=ADJ		
<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
DB=	=PGPB; PLUR=YES; OP=ADJ		
<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
DB=	=USPT; PLUR=YES; OP=ADJ		
<u>L8</u>	L7 and 12	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	14 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5	<u>L6</u>
<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>
<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>

Search Results -

Terms	Documents
L26 and (array\$ near5 memory\$)	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

127

Search:

L27			
			Refine Search
	Recall Text	Clear	Interrupt

Search History

DATE: Thursday, September 23, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB =	USPT; PLUR=YES; OP=ADJ		
<u>L27</u>	L26 and (array\$ near5 memory\$)	1	<u>L27</u>
<u>L26</u>	user interface\$ near5 object\$ near5 (proper\$ or attribut\$) near4 (chang\$ or modif\$)	16	<u>L26</u>
<u>L25</u>	object\$ near4 (propert\$ or attribut\$) near5 (relation\$ near4 expression\$)	6	L25
<u>L24</u>	l22 and (value\$ near5 expression\$)	0	<u>L24</u>
<u>L23</u>	L22 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L23</u>
<u>L22</u>	6480856.pn.	1	<u>L22</u>
<u>L21</u>	119 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L21</u>
<u>L20</u>	L19 and (instan\$ near5 object)	1	<u>L20</u>
<u>L19</u>	5978582.pn.	1	<u>L19</u>
<u>L18</u>	116 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	L18
<u>L17</u>	L16 and (instan\$ near5 object)	1	<u>L17</u>
<u>L16</u>	6336211.pn.	1	<u>L16</u>

<u>L15</u>	L14 and 17	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	<u>L14</u>
DB =	TDBD; PLUR=YES; OP=ADJ		
<u>L13</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L13</u>
DB=	DWPI; PLUR=YES; OP=ADJ		
<u>L12</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L12</u>
DB=	JPAB; PLUR=YES; OP=ADJ		
<u>L11</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L11</u>
DB=	EPAB; PLUR=YES; OP=ADJ		
<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
DB =	PGPB; PLUR=YES; OP=ADJ		
<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
DB =	USPT; PLUR=YES; OP=ADJ		
<u>L8</u>	L7 and 12	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	14 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5	<u>L6</u>
<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>
<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs



(JEBB)	Xplore®	United State	Welcome s Patent and Trademark	Office	1 1
Help FAQ Terms IEE	E Peer Review Qu	ick Links	<u>E</u>		» Se
Welcome to IEEE Xplore* - Home - What Can I Access? - Log-out	A maximum of Descending of Refine This Se	500 results are rder.	4479 documents. displayed, 15 to a p		
Tables of Contents	You may refine new one in the		editing the current s	earch expression	ı or enteri
O- Journals & Magazines		ite and change an	d dependent and	earch:	
Conference Proceedings	☐ Check to sea	arch within this i	result set		
O- Standards	Results Key:	or Magazine C í	NF = Conference S	TD - Standard	
Search O- By Author O- Basic O- Advanced	Results:	s matched you			
Member Services - Join IEEE - Establish IEEE Web Account					
O Access the IEEE Member Digital Library					
O- Access the IEEE Enterprise					
File Cabinet					

Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

object and prperties and change and relational and expression

(Prince)

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used object and prperties and change and relational and expression and

Found 91,536 of 142,983

Sort results

by . Display relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

expanded form results

Open results in a new window

Results 1 - 20 of 200

Best 200 shown

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> Relevance scale

1 Semantic integrity support in SQL:1999 and commercial (object-)relational database management systems

Can Türker, Michael Gertz

December 2001 The VLDB Journal - The International Journal on Very Large Data Bases, Volume 10 Issue 4

Full text available: pdf(345.55 KB) Additional Information: full citation, abstract, index terms

The correctness of the data managed by database systems is vital to any application that utilizes data for business, research, and decision-making purposes. To guard databases against erroneous data not reflecting real-world data or business rules, semantic integrity constraints can be specified during database design. Current commercial database management systems provide various means to implement mechanisms to enforce semantic integrity constraints at database run-time. In this paper, we give ...

Keywords: Constraint enforcement, Object-relational databases, SQL:1999, Semantic integrity constraints

² A simple software environment based on objects and relations

Bruce J. MacLennan

June 1983 Proceedings of the ACM SIGPLAN 85 symposium on Language issues in programming environments, Volume 18, 20 Issue 6, 7

Full text available: pdf(714.36 KB) Additional Information: full citation, abstract, references, index terms

This paper presents a simple programming system based on a clear separation of valueoriented programming and object-oriented programming [MacLennan82, MacLennan83a]. The value-oriented component is a conventional functional programming language. The object-oriented component is based on a model of objects and values connected by relations, and on production system-like rules that determine the alteration of these relations through time. It is shown that th ...

A general framework for visualizing abstract objects and relations Tomihisa Kamada, Satoru Kawai January 1991 ACM Transactions on Graphics (TOG), Volume 10 Issue 1

Full text available: pdf(2.26 MB)

Additional Information: full citation, abstract, references, citings, index terms

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L22 and (no\$ near5 (depend\$ or chang\$ or modif))	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Li40

Refine Search

Refine Search

Search History

DATE: Thursday, September 23, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB =	USPT; PLUR=YES; OP=ADJ		
<u>L40</u>	122 and (no\$ near5 (depend\$ or chang\$ or modif))	1	<u>L40</u>
<u>L39</u>	122 and (no\$ near5 depend\$)	1	<u>L39</u>
<u>L38</u>	122 and (depend\$ or affect\$) near5 (parent or child or original\$)	1	<u>L38</u>
<u>L37</u>	122 and depend\$	1	<u>L37</u>
<u>L36</u>	122 and (steady\$ or permanent\$)	0	<u>L36</u>
<u>L35</u>	122 and steady\$	0	<u>L35</u>
<u>L34</u>	122 and (child\$ or parent or source\$ or original\$) near5 object	1	<u>L34</u>
<u>L33</u>	L31 and (affect\$ or non-affect\$ or non affect\$) near4 object	89	<u>L33</u>
<u>L32</u>	L31 and (affect\$ or non-affect\$)	133	<u>L32</u>
<u>L31</u>	L30 and (duplicat\$ or cop\$)near8 object\$	194	<u>L31</u>

L30	L29 and (propert\$ or attribut\$) near5 (chang\$ or modif\$)	468	L30
<u>L29</u>	12 and (child\$ or parent or source\$ or original\$) near5 object	481	<u>L29</u>
L28	12 and (Pre-source or pre source or post-source or post source)	0	L28
L27	L26 and (array\$ near5 memory\$)	1	<u>L27</u>
<u>L26</u>	user interface\$ near5 object\$ near5 (proper\$ or attribut\$) near4 (chang\$ or	16	<u>L26</u>
<u>L20</u>	modif\$)	10	<u>1,40</u>
<u>L25</u>	object\$ near4 (propert\$ or attribut\$) near5 (relation\$ near4 expression\$)	6	<u>L25</u>
<u>L24</u>	l22 and (value\$ near5 expression\$)	0	<u>L24</u>
<u>L23</u>	L22 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L23</u>
<u>L22</u>	6480856.pn.	1	<u>L22</u>
<u>L21</u>	119 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L21</u>
<u>L20</u>	L19 and (instan\$ near5 object)	1	<u>L20</u>
<u>L19</u>	5978582.pn.	1	<u>L19</u>
<u>L18</u>	116 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L18</u>
<u>L17</u>	L16 and (instan\$ near5 object)	1	<u>L17</u>
<u>L16</u>	6336211.pn.	1	<u>L16</u>
<u>L15</u>	L14 and 17	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	<u>L14</u>
DB=	TDBD; PLUR=YES; OP=ADJ		
<u>L13</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$. 0	<u>L13</u>
DB=	-DWPI; PLUR=YES; OP=ADJ		
<u>L12</u>	program\$ and (object\$ near5 propert\$) and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L12</u>
DB=	-JPAB; PLUR=YES; OP=ADJ		
<u>L11</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L11</u>
DB=	EPAB; PLUR=YES; OP=ADJ		
<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
DB=	PGPB; PLUR=YES; OP=ADJ		
<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
DB=	USPT; PLUR=YES; OP=ADJ		
<u>L8</u>	L7 and 12	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	14 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5	<u>L6</u>
<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>

<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>

Search Results -

Terms	Documents
(719/316 719/328).ccls.	718

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L44

Database:

			Refine Search
Recall Text	Clear	***************************************	Interrupt

Search History

DATE: Thursday, September 23, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=	=USPT; PLUR=YES; OP=ADJ		
<u>L44</u>	719/316,328.ccls.	718	<u>L44</u>
<u>L43</u>	706/11.ccls.	188	<u>L43</u>
<u>L42</u>	707/100,103R.ccls.	2272	<u>L42</u>
<u>L41</u>	717/104,108,109,116,165.CCLS.	656	<u>L41</u>
<u>L40</u>	122 and (no\$ near5 (depend\$ or chang\$ or modif))	1	<u>L40</u>
<u>L39</u>	l22 and (no\$ near5 depend\$)	1	<u>L39</u>
<u>L38</u>	122 and (depend\$ or affect\$) near5 (parent or child or original\$)	1	<u>L38</u>
<u>L37</u>	122 and depend\$	1	<u>L37</u>
<u>L36</u>	122 and (steady\$ or permanent\$)	0	<u>L36</u>
<u>L35</u>	122 and steady\$	0	<u>L35</u>
<u>L34</u>	l22 and (child\$ or parent or source\$ or original\$) near5 object	1	<u>L34</u>
<u>L33</u>	L31 and (affect\$ or non-affect\$) near4 object	89	<u>L33</u>
<u>L32</u>	L31 and (affect\$ or non-affect\$ or non affect\$)	133	<u>L32</u>

<u>L31</u>	L30 and (duplicat\$ or cop\$)near8 object\$	194	<u>L31</u>
<u>L30</u>	L29 and (propert\$ or attribut\$) near5 (chang\$ or modif\$)	468	<u>L30</u>
<u>L29</u>	l2 and (child\$ or parent or source\$ or original\$) near5 object	481	<u>L29</u>
<u>L28</u>	12 and (Pre-source or pre source or post-source or post source)	0	<u>L28</u>
<u>L27</u>	L26 and (array\$ near5 memory\$)	1	<u>L27</u>
<u>L26</u>	user interface\$ near5 object\$ near5 (proper\$ or attribut\$) near4 (chang\$ or modif\$)	16	<u>L26</u>
<u>L25</u>	object\$ near4 (propert\$ or attribut\$) near5 (relation\$ near4 expression\$)	6	<u>L25</u>
<u>L24</u>	122 and (value\$ near5 expression\$)	0	<u>L24</u>
<u>L23</u>	L22 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L23</u>
<u>L22</u>	6480856.pn.	1	<u>L22</u>
<u>L21</u>	119 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L21</u>
<u>L20</u>	L19 and (instan\$ near5 object)	1	<u>L20</u>
<u>L19</u>	5978582.pn.	1	<u>L19</u>
<u>L18</u>	116 and (propert\$ or attribut\$) near4 (chang\$ or modif\$ or alter)	1	<u>L18</u>
<u>L17</u>	L16 and (instan\$ near5 object)	1	<u>L17</u>
<u>L16</u>	6336211.pn.	1	<u>L16</u>
<u>L15</u>	L14 and 17	18	<u>L15</u>
<u>L14</u>	719/310,328.ccls.	808	<u>L14</u>
DB=	TDBD; PLUR=YES; OP=ADJ		
<u>L13</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L13</u>
DB=	=DWPI; PLUR=YES; OP=ADJ		
<u>L12</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L12</u>
DB=	JPAB; PLUR=YES; OP=ADJ		
<u>L11</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L11</u>
DB=	EPAB; PLUR=YES; OP=ADJ		
<u>L10</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	0	<u>L10</u>
DB=	PGPB; PLUR=YES; OP=ADJ		
<u>L9</u>	program\$ and (object\$ near5 propert\$)and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$) and (source\$ near4 propert\$) near7 depen\$	1	<u>L9</u>
	USPT; PLUR=YES; OP=ADJ		
<u>L8</u>	L7 and 12	36	<u>L8</u>
<u>L7</u>	717/108,116,165.ccls.	449	<u>L7</u>
<u>L6</u>	14 and object\$ near5 (propert\$ or attribut\$) near5 relation\$ near4 expression\$	5 5	<u>L6</u>

<u>L5</u>	L4 and (chang\$ or alter or modif\$) near3 value\$ near4 (no\$ near5 depend\$)	0	<u>L5</u>
<u>L4</u>	object\$ near5 (propert\$ or attribut\$) near5 (modif\$ or chang\$ or alter)	2078	<u>L4</u>
<u>L3</u>	L2 and (source\$ near4 propert\$) near7 depen\$	5	<u>L3</u>
<u>L2</u>	L1 and object\$ near5 (propert\$ or attribut\$) near5 (chang\$ or modif\$)	832	<u>L2</u>
<u>L1</u>	program\$ and (object\$ near5 propert\$)	5301	<u>L1</u>